

Food Technology and Biotechnology

Vol. 54

Contents, Author and Subject Index

**ZAGREB
CROATIA
2016**

CONTENTS

REVIEW

- Dariusz Góral, Franciszek Kluza, Walter E. L. Spiess and Katarzyna Kozłowicz**
Review of Thawing Time Prediction Models Depending on Process Conditions and Product Characteristics (1) 3
- Miguel Espino-Díaz, David Roberto Sepúlveda, Gustavo González-Aguilar and Guadalupe I. Olivas**
Biochemistry of Apple Aroma: A Review (4) 375

ORIGINAL SCIENTIFIC PAPERS

- Jovanka Laličić-Petronijević, Draženka Komes, Stanislava Gorjanović, Ana Belščak-Cvitanović, Lato Pezo, Ferenc Pastor, Sanja Ostojčić, Jovanka Popov-Raljić and Desanka Sužnjević**
Content of Total Phenolics, Flavan-3-Ols and Proanthocyanidins, Oxidative Stability and Antioxidant Capacity of Chocolate During Storage (1) 13
- Buket Aydeniz and Emin Yilmaz**
Performance of Different Natural Antioxidant Compounds in Frying Oil (1) 21
- Gábor Csiffáry, Péter Fűtő, Nóra Adányi and Attila Kiss**
Ascorbate Oxidase-Based Amperometric Biosensor for L-Ascorbic Acid Determination in Beverages . . . (1) 31
- Loreta Basinskiene, Grazina Juodeikiene, Daiva Vidmantiene, Maija Tenkanen, Tomas Makaravicius and Elena Bartkiene**
Non-Alcoholic Beverages from Fermented Cereals with Increased Oligosaccharide Content (1) 36
- Marcin Kurek, Jarosław Wyrwisz, Monika Piwińska and Agnieszka Wierzbicka**
The Effect of Oat Fibre Powder Particle Size on the Physical Properties of Wheat Bread Rolls (1) 45
- Mojan Seyedain-Ardabili, Anousheh Sharifan and Babak Ghiassi Tarzi**
The Production of Symbiotic Bread by Microencapsulation (1) 52
- Daniel O. Carvalho, Rui Oliveira, Björn Johansson and Luís F. Guido**
Dose-Dependent Protective and Inductive Effects of Xanthohumol on Oxidative DNA Damage in *Saccharomyces cerevisiae* (1) 60
- Ömer Acer, Fatma Matpan Bekler, Hemşe Pirinçioğlu, Reyhan Gül Güven and Kemal Güven**
Purification and Characterization of Thermostable and Detergent-Stable α -Amylase from *Anoxybacillus* sp. AH1 (1) 70
- Sabina Galus and Justyna Kadzińska**
Moisture Sensitivity, Optical, Mechanical and Structural Properties of Whey Protein-Based Edible Films Incorporated with Rapeseed Oil. (1) 78
- Sandeep Kumar Gupta and Pradeep Singh Negi**
Antibacterial Activity of Indian Borage (*Plectranthus amboinicus* Benth) Leaf Extracts in Food Systems and Against Natural Microflora in Chicken Meat (1) 90
- Jadranka Frece, Marija Vrdoljak, Mija Filipčić, Marko Jelić, Iva Čanak, Željko Jakopović, Jelka Pleadin, Ivana Gobin, Tibela Landeka Dragičević and Ksenija Markov**
Microbiological Quality and Variability of Natural Microbiota in Croatian Cheese Maturing in Lambskin Sacks. (2) 129
- Ángel Benito, Fernando Calderón, Felipe Palomero and Santiago Benito**
Quality and Composition of Airén Wines Fermented by Sequential Inoculation of *Lachancea thermotolerans* and *Saccharomyces cerevisiae*. (2) 135
- Ana Ljevar, Natka Ćurko, Marina Tomašević, Kristina Radošević, Višnja Gaurina Srček and Karin Kovačević Ganić**
Phenolic Composition, Antioxidant Capacity and *in vitro* Cytotoxicity Assessment of Fruit Wines . . . (2) 145

Ki Bae Hong, Jae Hwan Kim, Hyuk Kon Kwon, Sung Hee Han, Yooheon Park and Hyung Joo Suh Evaluation of Prebiotic Effects of High-Purity Galactooligosaccharides <i>in vitro</i> and <i>in vivo</i> (2)	156
Huanglei Pan, Shasha Song, Qiuyue Ma, Hui Wei, Difeng Ren and Jun Lu Preparation, Identification and Antioxidant Properties of Black-Bone Silky Fowl (<i>Gallus gallus domesticus</i> Brisson) Iron(II)-Oligopeptide Chelate (2)	164
Marta Ambrosewicz-Walacik, Małgorzata Tańska, Daniela Rotkiewicz and Andrzej Piętak Effect of Various Sodium Chloride Mass Fractions on Wheat and Rye Bread Using Different Dough Preparation Techniques. (2)	172
Rao-Chi Chien, Enkhjargal Ulzijiargal and Jeng-Leun Mau Quality of Bread Supplemented with <i>Antrodia salmonea</i> -Fermented Grains. (2)	180
Igor Poljak, Nada Vahčić, Milica Gačić and Marilena Idžojtć Morphological Characterization and Chemical Composition of Fruits of the Traditional Croatian Chestnut Variety ‘Lovran Marron’ (2)	189
Dalibor Broznić, Gordana Čanadi Jurešić and Čedomila Milin Involvement of α -, γ - and δ -Tocopherol Isomers from Pumpkin (<i>Curcubita pepo</i> L.) Seed Oil or Oil Mixtures in the Biphasic DPPH’ Disappearance Kinetics (2)	200
Irina Mladenoska Synthesis of Octyl- β -Glucoside Catalyzed by Almond β -Glucosidase in Unconventional Reaction Media (2)	211
Fatemeh Nadi Development of a New Model for Mass Transfer Kinetics of Petals of <i>Echium amoenum</i> Fisch. & C.A. Mey. under Fluidized Bed Conditions (2)	217
Remigiusz Arnak, Burcin Altun, Valentina Tosato and Carlo V. Bruschi Multiple Antibiotic Resistance Plasmids Allow Scalable, PCR-Mediated DNA Manipulation and Near-Zero Background Cloning. (3)	257
Justyna Bucholska and Piotr Minkiewicz The Use of Peptide Markers of Carp and Herring Allergens as an Example of Detection of Sequenced and Non-Sequenced Proteins (3)	266
Fatma Sezer Senol, Anita Ankli, Eike Reich and Ilkay Erdogan Orhan HPTLC Fingerprinting and Cholinesterase Inhibitory and Metal-Chelating Capacity of Various <i>Citrus</i> Cultivars and <i>Olea europaea</i> (3)	275
Paradorn Ngamdee, Uthai Wichai and Sudarat Jiamyangyuen Correlation Between Phytochemical and Mineral Contents and Antioxidant Activity of Black Glutinous Rice Bran, and Its Potential Chemopreventive Property (3)	282
Peixin He, Shuangshuang Wu, Lige Pan, Siwen Sun, Duobin Mao and Chunping Xu Effect of Tween 80 and Acetone on the Secretion, Structure and Antioxidant Activities of Exopolysaccharides from <i>Lentinus tigrinus</i> (3)	290
Seda Şirin, Selcen Babaoğlu Aydaş and Belma Aslım Biochemical Evaluation of Phenylalanine Ammonia Lyase from Endemic Plant <i>Cyathobasis fruticulosa</i> (Bunge) Aellen. for the Dietary Treatment of Phenylketonuria. (3)	296
Petra Matouskova, Ivana Marova, Jitka Bokrova and Pavla Benesova Effect of Encapsulation of Antimicrobial Activity of Herbal Extracts with Lysozyme (3)	304
Zeliha Yıldırım, Sabire Yerlikaya, Nilgün Öncül and Tuba Sakin Inhibitory Effect of Lactococcin BZ Against <i>Listeria innocua</i> and Indigenous Microbiota of Fresh Beef. . . (3)	317
Younes Zahedi, Mohammad-Javad Varidi and Mehdi Varidi Proteome Changes in <i>biceps femoris</i> Muscle of Iranian One-Humped Camel and Their Effect on Meat Quality Traits. (3)	324
Intira Koomyart, Hironori Nagamizu, Pramote Khuwijitjaru, Takashi Kobayashi, Hirokazu Shiga, Hidefumi Yoshii and Shuji Adachi Direct Treatment of Isada Krill under Subcritical Water Conditions to Produce Seasoning with Shrimp-Like Flavour. (3)	335

Dovilė Jonkuvienė, Lina Vaičiulytė-Funk, Joana Šalomskienė, Gitana Alenčikienė and Aldona Mieželiene	
Potential of <i>Lactobacillus reuteri</i> from Spontaneous Sourdough as a Starter Additive for Improving Quality Parameters of Bread	(3) 342
Disney Ribeiro Dias, Monique Suela Silva, Angélica Cristina de Souza, Karina Teixeira Magalhães-Guedes, Fernanda Severo de Rezende Ribeiro and Rosane Freitas Schwan	
Vinegar Production from Jaboticaba (<i>Myrciaria jaboticaba</i>) Fruit Using Immobilized Acetic Acid Bacteria	(3) 351
Volker Schneider, Jonas Müller and Dominik Schmidt	
Oxygen Consumption by Postfermentation Wine Yeast Lees: Factors Affecting Its Rate and Extent under Oenological Conditions	(4) 395
Shao-Quan Liu and Althea Ying Hui Quek	
Evaluation of Beer Fermentation with a Novel Yeast <i>Williopsis saturnus</i>	(4) 403
Iwona Konopka, Beata Roszkowska, Sylwester Czaplicki and Małgorzata Tańska	
Optimization of Pumpkin Oil Recovery by Using Aqueous Enzymatic Extraction and Comparison of the Quality of the Obtained Oil with the Quality of Cold-Pressed Oil	(4) 413
Tone Aspevik, Henning Egede-Nissen and Åge Oterhals	
A Systematic Approach to the Comparison of Cost Efficiency of Endopeptidases for the Hydrolysis of Atlantic Salmon (<i>Salmo salar</i>) By-Products	(4) 421
Maja Benković, Siniša Srećec, Ingrid Bauman, Damir Ježek, Sven Karlović, Dario Kremer, Ksenija Karlović and Renata Erhatic	
Assessment of Drying Characteristics and Texture in Relation with Micromorphological Traits of Carob (<i>Ceratonia siliqua</i> L.) Pods and Seeds	(4) 432
Ivona Elez Garofulić, Zoran Zorić, Sandra Pedisić and Verica Dragović-Uzelac	
Optimization of Sour Cherry Juice Spray Drying as Affected by Carrier Material and Temperature.	(4) 441
Nermin Hande Avcioglu and Isil Seyis Bilkay	
Biological Treatment of Cyanide by Using <i>Klebsiella pneumoniae</i> Species	(4) 450
Aynur Serçe, Bircan Çeken Toptancı, Sevil Emen Tanrıku, Sevcan Altaş, Göksel Kızıl, Süleyman Kızıl and Murat Kızıl	
Assessment of the Antioxidant Activity of <i>Silybum marianum</i> Seed Extract and Its Protective Effect against DNA Oxidation, Protein Damage and Lipid Peroxidation	(4) 455
PRELIMINARY COMMUNICATIONS	
Małgorzata Kasproicz-Potocka, Paulina Borowczyk, Anita Zaworska, Włodzimierz Nowak, Andrzej Frankiewicz and Piotr Gulewicz	
The Effect of Dry Yeast Fermentation on Chemical Composition and Protein Characteristics of Blue Lupin Seeds.	(3) 360
Claudia I. Gamboa-Gómez, Rubén F. González-Laredo, José Alberto Gallegos-Infante, M^a del Mar Larrosa Pérez, Martha R. Moreno-Jiménez, Ana G. Flores-Rueda and Nuria E. Rocha-Guzmán	
Antioxidant and Angiotensin-Converting Enzyme Inhibitory Activity of <i>Eucalyptus camaldulensis</i> and <i>Litsea glaucescens</i> Infusions Fermented with Kombucha Consortium	(3) 367
Rudy Álvarez, Héctor Araya, Rosa Navarro-Lisboa and Carol Lopez de Dicastillo	
Evaluation of Polyphenol Content and Antioxidant Capacity of Fruits and Vegetables Using a Modified Enzymatic Extraction.	(4) 462
Ines Pohajda, Katarina Huić Babić, Ivana Rajnović, Sanja Kajić and Sanja Sikora	
Genetic Diversity and Symbiotic Efficiency of Indigenous Common Bean Rhizobia in Croatia	(4) 468
Marina Mikulić, Andrea Humski, Bela Njari, Mario Ostović, Sanja Duvnjak and Željko Cvetnić	
Prevalence of Thermotolerant <i>Campylobacter</i> spp. in Chicken Meat in Croatia and Multilocus Sequence Typing of a Small Subset of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> Isolates	(4) 475

SCIENTIFIC NOTES

Zoran Zorić, Joško Markić, Sandra Pedisić, Viljemka Bučević-Popović, Ivana Generalić-Mekinić, Katarina Grebenar and Tea Kulišić-Bilušić Stability of Rosmarinic Acid in Aqueous Extracts from Different Lamiaceae Species after <i>in vitro</i> Digestion with Human Gastrointestinal Enzymes	(1)	97
Mária Presinszká, Klára Štiasna, Tomáš Vyhnánek, Václav Trojan, Eva Mrkvicová, Luděk Hřivna and Ladislav Havel Identification of Alleles of Puroindoline Genes and Their Effect on Wheat (<i>Triticum aestivum</i> L.) Grain Texture	(1)	103
Janja Trček, Luka Lipoglavšek and Gorazd Avguštin 16S rRNA <i>in situ</i> Hybridization Followed by Flow Cytometry for Rapid Identification of Acetic Acid Bacteria Involved in Submerged Industrial Vinegar Production	(1)	108
Aleksandra Štornik, Barbara Skok and Janja Trček Comparison of Cultivable Acetic Acid Bacterial Microbiota in Organic and Conventional Apple Cider Vinegar	(1)	113
Doris Kokalj, Janez Hribar, Blaž Cigić, Emil Zlatić, Lea Demšar, Lovro Sinkovič, Helena Šircelj, Grega Bizjak and Rajko Vidrih Influence of Yellow Light-Emitting Diodes at 590 nm on Storage of Apple, Tomato and Bell Pepper Fruit	(2)	228
Jasenska Gajdoš Kljusurić, Kiril Mihalev, Ivana Bečić, Ivana Polović, Mariya Georgieva, Senka Djaković and Želimir Kurtanjek Near-Infrared Spectroscopic Analysis of Total Phenolic Content and Antioxidant Activity of Berry Fruits	(2)	236
Zheng-Yun Wu, Xue-Jun Lei, De-Wen Zhu and Ai-Min Luo Investigating the Variation of Volatile Compound Composition in Maotai-Flavoured Liquor During Its Multiple Fermentation Steps Using Statistical Methods	(2)	243
Josip Čurko, Marin Matošić, Vlado Crnek, Višnja Stulić and Ivan Mijatović Adsorption Characteristics of Different Adsorbents and Iron(III) Salt for Removing As(V) from Water	(2)	250
Magdalena Montowska and Edward Pospiech Processed Meat Protein and Heat-Stable Peptide Marker Identification Using Microwave-Assisted Tryptic Digestion	(4)	482
Carolina Moroni Silva, Thais de Matos de Borba, Susana Juliano Kalil and Janaína Fernandes de Medeiros Burkert Raw Glycerol and Parboiled Rice Effluent for Carotenoid Production: Effect of the Composition of Culture Medium and Initial pH	(4)	489
Muammer Kaplan, Öznur Karaoglu, Nazife Eroglu and Sibel Silici Fatty Acid and Proximate Composition of Bee Bread	(4)	497

APPENDIX

Vladimir Mrša Editor's Letter	(1)	1
---	-----	---

AUTHOR INDEX

Acer, Ömer (1)	70	Fernandes de Medeiros Burkert, Janaína . . . (4)	489
Adachi, Shuji (3)	335	Filipčić, Mija (2)	129
Adányi, Nóra (1)	31	Flores-Rueda, Ana G. (3)	367
Alenčikienė, Gitana (3)	342	Frankiewicz, Andrzej (3)	360
Altaş, Sevcan (4)	455	Frece, Jadranka (2)	129
Altun, Burcin (3)	257	Fűtő, Péter (1)	31
Álvarez, Rudy (4)	462	Gačić, Milica (2)	189
Ambrosewicz-Walacik, Marta (2)	172	Gajdoš Kljusurić, Jasenka (2)	236
Ankli, Anita (3)	275	Gallegos-Infante, José Alberto (3)	367
Araya, Héctor (4)	462	Galus, Sabina (1)	78
Arnak, Remigiusz (3)	257	Gamboa-Gómez, Claudia I. (3)	367
Aslim, Belma (3)	296	Gaurina Srček, Višnja (2)	145
Aspevik, Tone (4)	421	Generalić-Mekinić, Ivana (1)	97
Avcioglu, Nermin Hande (4)	450	Georgieva, Mariya (2)	236
Avguštin, Gorazd (1)	108	Ghiassi Tarzi, Babak (1)	52
Aydeniz, Buket (1)	21	Gobin, Ivana (2)	129
Babaoğlu Aydaş, Selcen (3)	296	González-Aguilar, Gustavo (4)	375
Bartkiene, Elena (1)	36	González-Laredo, Rubén F. (3)	367
Basinskiene, Loreta (1)	36	Góral, Dariusz (1)	3
Bauman, Ingrid (4)	432	Gorjanović, Stanislava (1)	13
Bečić, Ivana (2)	236	Grebenar, Katarina (1)	97
Belščak-Cvitanović, Ana (1)	13	Guido, Luís F. (1)	60
Benesova, Pavla (3)	304	Gül Güven, Reyhan (1)	70
Benito, Ángel (2)	135	Gulewicz, Piotr (3)	360
Benito, Santiago (2)	135	Gupta, Sandeep Kumar (1)	90
Benković, Maja (4)	432	Güven, Kemal (1)	70
Bizjak, Grega (2)	228	Han, Sung Hee (2)	156
Bokrova, Jitka (3)	304	Havel, Ladislav (1)	103
Borowczyk, Paulina (3)	360	He, Peixin (3)	290
Broznić, Dalibor (2)	200	Hong, Ki Bae (2)	156
Bruschi, Carlo V. (3)	257	Hribar, Janez (2)	228
Bucholska, Justyna (3)	266	Hřivna, Luděk (1)	103
Bučević-Popović, Viljemka (1)	97	Huić Babić, Katarina (4)	468
Calderón, Fernando (2)	135	Humski, Andrea (4)	475
Carvalho, Daniel O. (1)	60	Idžojtić, Marilena (2)	189
Chien, Rao-Chi (2)	180	Jakopović, Željko (2)	129
Cigić, Blaž (2)	228	Jelić, Marko (2)	129
Crnek, Vlado (2)	250	Ježek, Damir (4)	432
Csiffáry, Gábor (1)	31	Jiamyangyuen, Sudarat (3)	282
Cvetnić, Željko (4)	475	Johansson, Björn (1)	60
Czaplicki, Sylwester (4)	413	Jonkuvienė, Dovilė (3)	342
Čanadi Jurešić, Gordana (2)	200	Juliano Kalil, Susana (4)	489
Čanak, Iva (2)	129	Juodeikiene, Grazina (1)	36
Ćurko, Josip (2)	250	Kadzińska, Justyna (1)	78
Ćurko, Natka (2)	145	Kajić, Sanja (4)	468
Demšar, Lea (2)	228	Kaplan, Muammer (4)	497
Dias, Disney Ribeiro (3)	351	Karaoglu, Öznur (4)	497
Djaković, Senka (2)	236	Karlović, Ksenija (4)	432
Dragović-Uzelac, Verica (4)	441	Karlović, Sven (4)	432
Duvnjak, Sanja (4)	475	Kasprowicz-Potocka, Małgorzata (3)	360
Egede-Nissen, Henning (4)	421	Khuwijitjaru, Pramote (3)	335
Elez Garofulić, Ivona (4)	441	Kim, Jae Hwan (2)	156
Erhatic, Renata (4)	432	Kiss, Attila (1)	31
Eroglu, Nazife (4)	497	Kızıl, Göksel (4)	455
Espino-Díaz, Miguel (4)	375	Kızıl, Murat (4)	455

Kızıl, Süleyman	(4)	455	Öncül, Nilgün	(3)	317
Kluza, Franciszek	(1)	3	Orhan, Ilkay Erdogan	(3)	275
Kobayashi, Takashi	(3)	335	Ostojić, Sanja	(1)	13
Kokalj, Doris	(2)	228	Ostović, Mario	(4)	475
Komes, Draženka	(1)	13	Oterhals, Åge	(4)	421
Konopka, Iwona	(4)	413	Palomero, Felipe	(2)	135
Koomyart, Intira	(3)	335	Pan, Huanglei	(2)	164
Kovačević Ganić, Karin	(2)	145	Pan, Lige	(3)	290
Kozłowicz, Katarzyna	(1)	3	Park, Yooheon	(2)	156
Kremer, Dario	(4)	432	Pastor, Ferenc	(1)	13
Kulišić-Bilušić, Tea	(1)	97	Pedišić Sandra	(1, 4)	97, 441
Kurek, Marcin	(1)	45	Pezo, Lato	(1)	13
Kurtanjek, Želimir	(2)	236	Piętak, Andrzej	(2)	172
Kwon, Hyuk Kon	(2)	156	Pirinçcioğlu, Hemşe	(1)	70
Laličić-Petronijević, Jovanka	(1)	13	Piwińska, Monika	(1)	45
Landeka Dragičević, Tibela	(2)	129	Pleadin, Jelka	(2)	129
Larrosa Pérez, M ^a del Mar	(3)	367	Pohajda, Ines	(4)	468
Lei, Xue-Jun	(2)	243	Polović, Ivana	(2)	236
Lipoglavšek, Luka	(1)	108	Poljak, Igor	(2)	189
Liu, Shao-Quan	(4)	403	Popov-Raljić, Jovanka	(1)	13
Lopez de Dicastillo, Carol	(4)	462	Pospiech, Edward	(4)	482
Lu, Jun	(2)	164	Presinszká, Mária	(1)	103
Luo, Ai-Min	(2)	243	Quek, Althea Ying Hui	(4)	403
Ljevar, Ana	(2)	145	Radošević, Kristina	(2)	145
Ma, Qiuyue	(2)	164	Rajnović, Ivana	(4)	468
Magalhães-Guedes, Karina Teixeira	(3)	351	Reich, Eike	(3)	275
Makaravicius, Tomas	(1)	36	Ren, Difeng	(2)	164
Mao, Duobin	(3)	290	Ribeiro, Fernanda Severo de Rezende	(3)	351
Markić, Joško	(1)	97	Rocha-Guzmán, Nuria E.	(3)	367
Markov, Ksenija	(2)	129	Roszkowska, Beata	(4)	413
Marova, Ivana	(3)	304	Rotkiewicz, Daniela	(2)	172
Matos de Borba, Thais de	(4)	489	Sakin, Tuba	(3)	317
Matošić, Marin	(2)	250	Schmidt, Dominik	(4)	395
Matouskova, Petra	(3)	304	Schneider, Volker	(4)	395
Matpan Bekler, Fatma	(1)	70	Schwan, Rosane Freitas	(3)	351
Mau, Jeng-Leun	(2)	180	Senol, Fatma Sezer	(3)	275
Mieželiienė, Aldona	(3)	342	Sepúlveda, David Roberto	(4)	375
Mihalev, Kiril	(2)	236	Serçe, Aynur	(4)	455
Mijatović, Ivan	(2)	250	Seyedain-Ardabili, Mojan	(1)	52
Mikulić, Marina	(4)	475	Seyis Bilkay, Isil	(4)	450
Milin, Čedomila	(2)	200	Sharifan, Anousheh	(1)	52
Minkiewicz, Piotr	(3)	266	Shiga, Hirokazu	(3)	335
Mladenoska, Irina	(2)	211	Sikora, Sanja	(4)	468
Montowska, Magdalena	(4)	482	Silici, Sibel	(4)	497
Moreno-Jiménez, Martha R.	(3)	367	Silva, Monique Suela	(3)	351
Moroni Silva, Carolina	(4)	489	Sinković, Lovro	(2)	228
Mrkvicová, Eva	(1)	103	Širin, Seda	(3)	296
Mrša, Vladimir	(1)	1	Skok, Barbara	(1)	113
Müller, Jonas	(4)	395	Song, Shasha	(2)	164
Nadi, Fatemeh	(2)	217	Souza, Angélica Cristina de	(3)	351
Nagamizu, Hironori	(3)	335	Spiess, Walter E. L.	(1)	3
Navarro-Lisboa, Rosa	(4)	462	Srećec, Siniša	(4)	432
Negi, Pradeep Singh	(1)	90	Stulić, Višnja	(2)	250
Ngamdee, Paradorn	(3)	282	Suh, Hyung Joo	(2)	156
Nowak, Włodzimierz	(3)	360	Sun, Siwen	(3)	290
Njari, Bela	(4)	475	Sužnjević, Desanka	(1)	13
Olivas, Guadalupe I.	(4)	375	Šalomskienė, Joana	(3)	342
Oliveira, Rui	(1)	60	Šircelj, Helena	(2)	228
			Štiasna, Klára	(1)	103
			Štornik, Aleksandra	(1)	113

Tanrikut, Sevil Emen	(4)	455	Wei, Hui	(2)	164
Tańska, Małgorzata	(2, 4)	172, 413	Wichai, Uthai	(3)	282
Tenkanen, Maija	(1)	36	Wierzbicka, Agnieszka	(1)	45
Tomašević, Marina	(2)	145	Wu, Shuangshuang	(3)	290
Toptancı, Bircan Çeken	(4)	455	Wu, Zheng-Yun	(2)	243
Tosato, Valentina	(3)	257	Wyrwicz, Jarosław	(1)	45
Trček, Janja	(1)	108, 113	Xu, Chunping	(3)	290
Trojan, Václav	(1)	103	Yerlikaya, Sabire	(3)	317
Ulziijargal, Enkhjargal	(2)	180	Yıldırım, Zeliha	(3)	317
Vahčić, Nada	(2)	189	Yilmaz, Emin	(1)	21
Vaičiulytė-Funk, Lina	(3)	342	Yoshii, Hidefumi	(3)	335
Varidi, Mehdi	(3)	324	Zahedi, Younes	(3)	324
Varidi, Mohammad-Javad	(3)	324	Zaworska, Anita	(3)	360
Vidmantienė, Daiva	(1)	36	Zhu, De-Wen	(2)	243
Vidrih, Rajko	(2)	228	Zlatić, Emil	(2)	228
Vrdoljak, Marija	(2)	129	Zorić, Zoran	(1, 4)	97, 441
Vyhnaněk, Tomáš	(1)	103			

SUBJECT INDEX

A

- acetic acid bacteria
 rapid identification of, during submerged industrial vinegar production, by 16S rRNA
in situ hybridization and flow cytometry, 108
 vinegar production from jaboticaba (*Myrciaria jaboticaba*) fruit by immobilized, 351
- Acetobacter*
 rapid identification of, during submerged industrial vinegar production, by 16S rRNA
in situ hybridization and flow cytometry, 108
 identification of, by restriction and sequence analysis during conventional and organic apple cider vinegar production, 113
- adsorption
 of arsen from water on three types of adsorbents, 250
- Airén wine
 influence of *Lachancea thermotolerans* on quality and composition of, produced by fermentation of low-acidity grape must, 135
- alcohol acyltransferase (AAT)
 role of, in the production of volatile compounds responsible for apple aroma, 375
- alcohol dehydrogenase (ADH)
 role of, in the production of volatile compounds responsible for apple aroma, 375
- alcoholic fermentation
 of jaboticaba (*Myrciaria jaboticaba*) fruit by *Saccharomyces cerevisiae* CCMA 0200, 351
- alginate
 used for microencapsulation of *Lactobacillus acidophilus* LA-5 and *Lactobacillus casei* 31 for functional bread production, 52
- allergens
 the use of peptide markers of carp and herring, as an example of detection of sequenced and non-sequenced proteins, 266
- almond β -glucosidase
 catalysis of enzymatic synthesis of octyl- β -glucoside by, in monophasic octanol/water mixtures, 211
- amino acids
 production of, during fermentation of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135
- Anoxybacillus* sp. AH1
 purification and characterization of thermostable and detergent-stable α -amylase from, 70
- anthocyanins
 determination of, in various black glutinous rice cultivars from Thailand, 282
- antibacterial activity
 of Indian borage (*Plectranthus amboinicus* Benth) leaf extracts against spoilage bacteria and natural microflora in food systems and chicken meat, 90
- antimicrobial activity
 of *Lactobacillus reuteri* from spontaneous sourdough used as a starter additive to improve bread quality, 342
- antimicrobial effect
 of herb extracts with lysozyme encapsulated in polysaccharides and liposomes, 304
- antinutritional factors
 influence of fermentation on, in blue lupin seeds, 360
- antioxidant activity
 of black-bone silky fowl iron(II)-oligopeptide chelate, 164
 of berry fruits, expressed as IT, RAC and DPPH radical scavenging, 236
 of different black glutinous rice bran cultivars, 282
 of herbal infusions and fermented beverages of *Eucalyptus camaldulensis* and *Litsea glaucescens*, 367
 of the *Silybum marianum* (milk thistle) seed ethanol extract, 455
- antioxidant and prooxidant capacity
 of prenylflavonoid xanthohumol from hop plant (*Humulus lupulus* L.), 60
- antioxidant capacity
 of chocolate with different cocoa content during storage, 13
 of different fruit wines, determined by ABTS and FRAP assays, 145
 of fruit and vegetable extracts obtained by chemical and modified *in vitro* digestive enzymatic extractions, 462
- antioxidant potential
 influence of LED light on, of apple, tomato and bell pepper fruit after 7 days of storage, 228
- antiproliferative activity
 of exopolysaccharides from *Lentinus tigrinus*, 290
- Antrodia salmonea*
 quality of the bread supplemented with grains fermented by, 180
- apple aroma
 biochemistry of, 375
- arsenic removal
 adsorption characteristics of three types of adsorbents and iron(III) salt used for, from water, 250
- ascorbate oxidase
 determination of L-ascorbic acid in beverages by, amperometric biosensor based on, 31
- L-ascorbic acid
 determination of, in beverages by ascorbate oxidase-based amperometric biosensor, 31
 influence of LED light on, in apple, tomato and bell pepper fruit after 7 days of storage, 228
- astaxanthin
 stability of, after direct treatment of isada krill under subcritical water conditions, 335

B

- back-propagation neural network
 prediction of optimal conditions for Maotai-flavoured liquor fermentation by, 243

- bacteriocin
inhibitory effect of, from *Lactococcus lactis* spp. *lactis* BZ, against *Listeria innocua* and indigenous microbiota of fresh beef, 317
- bee bread
fatty acid and proximate composition of, from different botanical origins, 497
- beef
inhibitory effect of lactococci from *Lactococcus lactis* spp. *lactis* BZ against indigenous microbiota of fresh, 317
- beer
production of fruity, by a novel yeast *Williopsis saturnus* var. *mrakii* NCYC 500, 403
- berry fruits
near-infrared (NIR) spectroscopic analysis of total phenolic content and antioxidant activity of, 236
- biceps femoris*
physicochemical and quality changes in, of Iranian one-humped camel during refrigeration storage, 324
- bifidobacteria
growth of, on high-purity galactooligosaccharides as prebiotic ingredients, 156
- biodegradation
optimization of the, of cyanide by *Klebsiella pneumoniae*, 450
- biogenic amines
production of, during fermentation of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135
- biosensor
development of novel, for determination of L-ascorbic acid in beverages, 31
- biosurfactant
synthesis of octyl- β -glucoside, by almond β -glucosidase in monophasic octanol water mixtures, 211
- black-bone silky fowl oligopeptide
optimal conditions for chelation of, with iron(II), 164
- black glutinous rice bran
phytochemical and mineral contents, antioxidant activity and chemopreventive property of, 282
- bread
physical properties of, with different content and particle size of oat fibre powder, 45
production of functional, by addition of microencapsulated probiotics and inulin, 52
quality of, supplemented with *Antrodia salmonea*-fermented grains, 180
improvement of, quality using *Lactobacillus reuteri* from spontaneous sourdough as a starter additive, 342
- bread properties
influence of decreased sodium chloride mass fraction and different dough preparation techniques on wheat and rye, 172
- by-products
of agro-industry, used as substrates for natural pigment production, 489
- C**
- camel
physicochemical and quality changes in *biceps femoris* and *longissimus thoracis* muscles of Iranian one-humped, during refrigeration storage, 324
- carbonyl formation
inhibition of, by *Silybum marianum* (milk thistle) seed ethanol extract, 455
- carob
evaluation of drying characteristics, texture and microstructure of, pods and seeds, 432
- Castanea sativa*
quantitative and qualitative morphological characterization and chemical composition of 'Lovran Marron', 189
- cell wall damage
as mechanism of antibacterial activity by Indian borage (*Plectranthus amboinicus* Benth) leaf extracts against spoilage bacteria and natural microflora in food systems and chicken meat, 90
- cheese in lambskin sack
microbiological quality of, from raw cow's and sheep's milk, 129
- chelation
optimal conditions for, of black-bone silky fowl oligopeptide with iron(II), 164
- chemical composition
of 'Lovran Marron' (*Castanea sativa*) fruits, 189
- chicken meat in Croatia
determination of prevalence of thermotolerant *Campylobacter* species in, 475
- chitosan
used for microencapsulation of *Lactobacillus acidophilus* LA-5 and *Lactobacillus casei* 31 for functional bread production, 52
- chocolate
flavonoid content in, and oxidative stability and antioxidant capacity of, with different cocoa content during storage, 13
- cholinesterase inhibition
by extracts of various *Citrus* cultivars and *Olea europaea*, 275
- Citrus* sp.
HPTLC fingerprinting, cholinesterase inhibitory and metal-chelating capacity of, 275
- colour
of bread supplemented with *Antrodia salmonea*-fermented grains, 180
- combined fermentation
quality and composition of Airén wine produced by, of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135
- comet assay
detection of DNA damage in *Saccharomyces cerevisiae* by, after exposure to prenylflavonoid xanthohumol from hop plant (*Humulus lupulus* L.), 60
- common bean
determination of genetic diversity of, rhizobia isolated from different field sites in central Croatia, 468

- cost efficiency
 - of Atlantic salmon (*Salmo salar*) by-product hydrolysis using different endopeptidases, 421
- cow's milk
 - used for traditional production of cheese in lambskin sacks, 129
- cyanide
 - optimization of the biodegradation of, by *Klebsiella pneumoniae*, 450
- Cyathobasis fruticulosa*
 - biochemical evaluation of phenylalanine ammonia lyase from, for dietary treatment of phenylketonuria, 296
- cytotoxicity
 - of different fruit wines, determined on MCF-7, CaCo-2 and HeLa cancer cell lines, 145

D

- degree of hydrolysis
 - determination of, of Atlantic salmon (*Salmo salar*) by-products using different endopeptidases, 421
- detergent-stable α -amylase
 - purification and characterization of thermostable and, from *Anoxybacillus* sp. AH1, 70
- dietary fibre
 - effect of particle size of oat, on the physical properties of wheat bread rolls, 45
- differential scanning calorimetry
 - determination of oxidative stability of chocolate with different cocoa content by, 13
- dissolved oxygen
 - consumption of, by postfermentation wine yeast lees, 395
- DNA manipulation
 - PCR-mediated, for multiple antibiotic resistance plasmid construction, 257
- DPPH[•] disappearance kinetics
 - measurement of antioxidant activity by, of three types of pumpkin seed oil or oil mixtures, 200
- drinking water
 - adsorption characteristics of three types of adsorbents and iron(III) salt used for arsenic removal from, 250
- drying
 - influence of morphological traits on, of carob pods and seeds, 432

E

- Echium amoenum* petals
 - development of a new thin-layer drying model for mass transfer kinetics of, under fluidized bed conditions, 217
- edible films
 - effect of rapeseed oil content on the physical properties of whey protein-based, 78
- emulsion
 - evaluation of physical properties of film-forming, depending on of rapeseed oil content, 78

- encapsulation
 - effect of, on antimicrobial activity of herbal extracts with lysozyme, 304
- endemic plant
 - Cyathobasis fruticulosa* (Bunge) Aellen. as a source of phenylalanine ammonia lyase for dietary treatment of phenylketonuria, 296
- endopeptidase
 - comparison of hydrolytic and cost efficiencies of, used for hydrolysis of Atlantic salmon (*Salmo salar*) by-products, 421
- enzymatic cleavage acceleration
 - influence of microwave irradiation on the, of proteins exposed to thermal denaturation, 482
- enzymatic extraction
 - enhancement of polyphenol content and antioxidant capacity in fruit and vegetable extracts obtained by, 462
- enzymatic maceration
 - of pumpkin seeds, to improve oil recovery by aqueous enzymatic extraction, 413
- enzymatic synthesis
 - of octyl- β -glucoside catalysed by almond β -glucosidase in monophasic octanol/water mixtures, 211
- enzyme activity inhibition
 - determination of, for characterization of detergent-stable α -amylase isolated from *Anoxybacillus* sp. AH1, 70
- enzyme purification
 - of α -amylase from *Anoxybacillus* sp. AH1, 70
 - of phenylalanine ammonia lyase from *Cyathobasis fruticulosa* (Bunge) Aellen., 296
- ERIC-PCR
 - analysis of genetic diversity of common bean rhizobia isolated from different field sites in central Croatia, 468
- esters
 - composition of, in the beer produced by *Williopsis saturnus* var. *mrakii* NCYC 500 and *Saccharomyces cerevisiae* Safale US-05, 403
- ethanol
 - production of, during fermentation of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135
- exopolysaccharides
 - the effect of Tween 80 and acetone on secretion, structure and antioxidant activity of, from *Lentinus tigrinus*, 290
- extruded rye
 - use of, for Lithuanian traditional beverage preparation with increased oligosaccharide content, 36

F

- fatty acid composition
 - of different monofloral bee bread samples, 497
- fermentation
 - influence of, by different yeasts on chemical composition and protein characteristics of lupin seeds, 360

- evaluation of beer, with a novel yeast *Williopsis saturnus*, 403
- fermented beverages
 - antioxidant and angiotensin-converting enzyme inhibitory activity of *Eucalyptus camaldulensis* and *Litsea glaucescens*, produced by kombucha consortium, 367
- fermented grain
 - solid-state fermentation of buckwheat, oat, embryo rice and wheat, with *Antrodia salmonea*, used in the production of bread, 180
- fish
 - identification of proteins from, as markers for detecting multiple species based on a comparative proteomic approach, 266
- fish protein hydrolysate
 - production of, from Atlantic salmon (*Salmo salar*) by-products using different endopeptidases, 421
- flavonoids
 - influence of LED light on, in apple, tomato and bell pepper fruit, after 7 days of storage, 228
- flow cytometry
 - for identification of acetic acid bacteria during submerged industrial vinegar production, 108
- fluidized bed dryer
 - development of new model of thin-layer drying of *Echium amoenum* Fisch. & C.A. Mey. petals in, 217
- food
 - thawing time prediction modelling of frozen, 3
- food model system
 - cabbage and papaya as, used for determination of antimicrobial activity of Indian borage (*Plectranthus amboinicus* Benth) leaf extracts, 90
- food safety
 - improvement of, by the use of Indian borage (*Plectranthus amboinicus* Benth) leaf extracts as antibacterial agents, 90
 - increase of, of bread by the addition of *Lactobacillus reuteri* from spontaneous sourdough, 342
- fortified food
 - addition of the black-bone silky fowl iron(II)-oligo-peptide chelate for the production of, 164
- fruits and vegetables
 - content and antioxidant capacity of polyphenols in the extracts of, obtained by chemical and modified *in vitro* digestive enzymatic extractions, 462
- fruit vinegar
 - production of, from jaboticaba (*Myrciaria jaboticaba*) fruit by immobilized acetic acid bacteria, 351
- fruit wines
 - phenolic composition, antioxidant capacity and cytotoxicity of, 145
- frying oil
 - performance of antioxidant compounds added to, 21
- functional analysis
 - of multiple antibiotic resistance plasmids used for cloning as templates for PCR-based DNA manipulation, 257

G

- gene knock-out
 - construction of multiple antibiotic resistance plasmid for, in *Saccharomyces cerevisiae*, 257
- genes encoding GLP-1 and PYY peptides
 - upregulation of, in rats after high-purity galactooligosaccharide intake, 156
- genotoxic and antigenotoxic effects
 - of prenylflavonoid xanthohumol from hop plant (*Humulus lupulus* L.), 60
- Gluconacetobacter*
 - identification of, during submerged industrial vinegar production, by 16S rRNA *in situ* hybridization and flow cytometry, 108
 - identification of, by restriction and sequence analysis during conventional and organic apple cider vinegar production, 113
- Gluconobacter*
 - identification of, during submerged industrial vinegar production by 16S rRNA *in situ* hybridization and flow cytometry, 108
- glycerol
 - production of, during fermentation of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135
- grain hardness
 - identification of alleles of puroindoline genes and their effect on, of wheat (*Triticum aestivum* L.), 103
- green tea extract
 - antioxidant effect of, during frying in peanut oil, 21

H

- herbal infusions
 - antioxidant and angiotensin-converting enzyme inhibitory activity of, of *Eucalyptus camaldulensis* and *Litsea glaucescens*, 367
- herbs
 - antimicrobial effect of extracts of, with lysozyme encapsulated in polysaccharides and liposomes, 304
- high-purity galactooligosaccharides
 - in vitro* and *in vivo* evaluation of, as prebiotic ingredients, 156
- HPLC-PDA/MS
 - used for quantification of phenolic compounds in different fruit wines, 145
- HPTLC
 - fingerprinting of various *Citrus* cultivars and *Olea europaea*, 275
- human gastrointestinal enzymes
 - stability of rosmarinic acid during *in vitro* digestion by, 97

I

- immobilized cells
 - of *Acetobacter aceti* and *Gluconobacter oxydans* used for vinegar production from jaboticaba (*Myrciaria jaboticaba*) fruit, 351

- indigenous strains
determination of genetic diversity among, of *Rhizobium leguminosarum*, 468
- induction period
of aqueous extracts of pumpkin oil, compared to cold-pressed oil, 413
- in situ* hybridization
for identification of acetic acid bacteria during submerged industrial vinegar production, 108
- inulin
addition of, as a prebiotic for functional bread production, 52
- in vitro* digestion
stability of rosmarinic acid during, in aqueous extracts of thyme, winter savory and lemon balm, 97
- iron(II)
optimal conditions for chelation of, with black-bone silky fowl oligopeptide, 164
- isada krill
treatment of, under subcritical water conditions to produce seasoning with shrimp-like flavour, 335

J

- jaboticaba (*Myrciaria jaboticaba*)
production of fruit vinegar from, by immobilized acetic acid bacteria, 351

K

- Klebsiella pneumoniae*
optimization of the biodegradation of cyanide by, 450
- Komagataeibacter*
identification of, during submerged industrial vinegar production, by 16S rRNA *in situ* hybridization and flow cytometry, 108
identification of, by restriction and sequence analysis during conventional and organic apple cider vinegar production, 113
- kombucha
antioxidant and angiotensin-converting enzyme inhibitory activity of *Eucalyptus camaldulensis* and *Litsea glaucescens* herbal infusions fermented by, 367

L

- Lachancea thermotolerans*
influence of sequential inoculation of, on quality and composition of Airén wine produced by fermentation of low-acidity grape must, 135
- L-lactic acid
production of, during fermentation of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135
- lactic acid bacteria (LAB)
use of, for the preparation of Lithuanian traditional beverage with improved functional properties, 36
- Lactobacillus reuteri*
from spontaneous sourdough, used as a starter additive for improving quality of bread, 342

- lactococcin BZ
inhibitory effect of, from *Lactococcus lactis* spp. *lactis* BZ, against *Listeria innocua* and indigenous microbiota of fresh beef, 317
- Lamiaceae species
rosmarinic acid stability in extracts of different, after *in vitro* digestion, 97
- LED light
influence of, on storage of apple, tomato and bell pepper fruit, 228
- Lentinus tigrinus*
the effect of Tween 80 and acetone on secretion, structure and antioxidant activity of exopolysaccharides from, 290
- lipid peroxidation
prevention of, by *Silybum marianum* (milk thistle) seed ethanol extract, 455
- liposomes
used for encapsulation of herbal extracts with lysozyme, 304
- lipoxygenase (LOX)
role of, in the production of volatile compounds responsible for apple aroma, 375
- Listeria innocua*
inhibitory effect of lactococcin BZ from *Lactococcus lactis* spp. *lactis* BZ against, 317
- longissimus thoracis*
physicochemical and quality changes in, of Iranian one-humped camel during refrigeration storage, 324
- 'Lovran Marron' fruits
quantitative and qualitative morphological characterization and chemical composition of, 189
- lupin
determination of chemical composition and protein characteristics of, fermented by different yeasts, 360
- lycopene
antioxidant effect of, during frying in peanut oil, 21
- lysozyme
antimicrobial effect of herb extracts with, encapsulated in polysaccharides and liposomes, 304

M

- Maotai-flavoured liquor
determination of the variation of volatile compound composition in, during multiple fermentation steps, using statistical approach, 243
- markers
the use of peptide, of carp and herring allergens for detection of sequenced and non-sequenced proteins, 266
- mass spectrometry
identification of allergenic fish protein markers by, 266
analysis of proteins in processed meat and heat-stable peptide markers by, 482
- mass transfer kinetics
development of a new model for, of *Echium amoenum* Fisch. & C.A. Mey. petals under fluidized bed drying conditions, 217

- mathematical modelling
of DPPH[•] disappearance kinetics, used for the prediction of antioxidant activity of three types of pumpkin seed oil or oil mixtures, 200
- mealiness
of wheat (*Triticum aestivum* L.) grain, as a result of higher starch content in endosperm, 103
- metal-chelating activity
of extracts of various *Citrus* cultivars and *Olea europaea*, 275
- methanolic extraction
content and antioxidant capacity of polyphenols in the fruit and vegetable extracts obtained by, 462
- microbiological quality
of cheese produced from cow's and sheep's milk matured in lambskin sacks, 129
of fresh beef after treatment with lactococcin BZ from *Lactococcus lactis* spp. *lactis* BZ, 317
- microbiota
rapid identification of, during industrial vinegar production by 16S rRNA hybridization and flow cytometry, 108
production of apple cider vinegar by spontaneous fermentation with, present in fruit, 113
- microencapsulation
of probiotic bacteria for functional bread production, 52
- micromorphology
drying characteristics and texture in relation with, of carob (*Ceratonia siliqua* L.) pods and seeds, 432
- microwave irradiation
influence of, on the acceleration of enzymatic cleavage of proteins exposed to thermal denaturation, 482
- mineral content
in different black glutinous rice bran cultivars, 282
- molecular conformation
effect of Tween 80 and acetone on, of exopolysaccharides from *Lentinus tigrinus*, 290
- molecular mass
effect of Tween 80 and acetone on, of exopolysaccharides from *Lentinus tigrinus*, 290
- monofloral pollen
characterization of, in bee bread samples of different origin, 497
- monophasic octanol/water mixtures
as reaction media for enzymatic synthesis of octyl- β -glucoside catalyzed by almond β -glucosidase, 211
- morphological characteristics
of 'Lovran Marron' (*Castanea sativa*) fruit, 189
- multilocus sequence typing (MLST) method
for evaluation of genetic diversity of *Campylobacter jejuni* and *Campylobacter coli* isolates in chicken meat in Croatia, 475
- multi-marker vectors
construction of plasmids used as, for PCR-based gene disruption, mutagenesis and DNA chromosome translocation cassette construction, 257
- multiple antibiotic resistance
construction of plasmids for, in *Saccharomyces cerevisiae*, used as templates for PCR-based gene disruption, mutagenesis and DNA chromosome translocation cassette construction, 257
- multiple fermentations
determination of the variation of volatile compound composition in Maotai-flavoured liquor produced by, using statistical approach, 243
- mycelium
quality of the bread prepared with the addition of, of *Antrodia salmonea*, 180
- ## N
- natural microbiota
detection of, in cheese produced from cow's and sheep's milk matured in lambskin sacks, 129
- natural pigments
production of carotenoids as, by *Xanthophyllomonas dendrorhous* on culture medium with raw glycerol and parboiled rice effluent, 489
- new thin-layer drying model
for fluidized bed drying of *Echium amoenum* Fisch. & C.A. Mey. petals, 217
- NIR (near-infrared) spectroscopy
analysis of total phenolic content and antioxidant activity of berry fruits using, 236
- nitrogen fixation
by indigenous common bean rhizobia isolated from different field sites in central Croatia, 468
- non-alcoholic beverage
preparation of Lithuanian traditional, from fermented cereals by use of raw materials, enzymes and probiotic bacteria, 36
- nutritional value
of lupin seeds fermented by different yeasts, 360
- ## O
- oat fibre
effect of particle size of, on the physical properties of wheat bread rolls, 45
- octyl- β -glucoside
enzymatic synthesis of, catalyzed by almond β -glucosidase in monophasic octanol/water mixtures, 211
- odour intensity
of seasoning with shrimp-like flavour from isada krill under subcritical water conditions, 335
- Olea europaea*
HPTLC fingerprinting and cholinesterase inhibitory and metal-chelating capacity of, 275
- oligosaccharides
increased content of, to improve the functional properties of Lithuanian traditional beverage, 36
- optimization
of sour cherry Marasca juice spray drying process, by response surface methodology, 441
- optimum drying conditions
for the maximum extraction of total phenolic content from *Echium amoenum* Fisch. & C.A. Mey. petals in a fluidized bed dryer, 217

- organic and conventional apple cider vinegar
 - comparison of cultivable acetic acid bacterial microbiota in, 113
- organic particles
 - effect of encapsulation on antimicrobial activity of herbal extracts with lysozyme, using liposomes and polysaccharides as, 304
- γ -oryzanol
 - antioxidant effect of, during frying in peanut oil, 21
- oxidation
 - prevention of wine, by the addition of postfermentation wine yeast lees, 395
- oxidative DNA damage
 - prevention of, by *Silybum marianum* (milk thistle) seed ethanol extract, 455
- oxidative stability
 - determination of, in chocolate with different cocoa content, 13
- oxygen consumption
 - by postfermentation wine yeast lees, in model, white and red wines, determined using fluorescence-based oxygen sensors, 395

P

- particle size
 - effect of oat fibre powder, on the physical properties of wheat bread rolls, 45
- pathogens
 - presence of, in cheese produced from cow's and sheep's milk matured in lambskin sacks, 129
- pathway
 - for the biosynthesis of volatile compounds responsible for apple aroma, 375
- peanut oil
 - performance of natural antioxidant compounds added to, during frying, 21
- peptide markers
 - recovery of, in industrially processed meat products by microwave-assisted tryptic digestion, 482
- peptides
 - the use of, of carp and herring allergens for detection of sequenced and non-sequenced proteins, 266
- phenolic compounds
 - identification and quantification of, in fruit wines, 145
- phenolics
 - influence of LED light on, in apple, tomato and bell pepper fruit after 7 days of storage, 228
- phenols
 - content of, in chocolate with different cocoa content during storage, 13
- phenylalanine ammonia lyase (PAL)
 - biochemical evaluation of, from *Cyathobasis fruticulosa* (Bunge) Aellen. used for dietary treatment of phenylketonuria, 296
- phenylketonuria (PKU)
 - biochemical evaluation of phenylalanine ammonia lyase (PAL) from *Cyathobasis fruticulosa* (Bunge) Aellen. used for treatment of, 296
- pH-STAT
 - used for monitoring the degree of hydrolysis of Atlantic salmon (*Salmo salar*) by-products by different endopeptidases, 421
- physicochemical properties
 - of sour cherry Marasca juice powder, obtained by spray drying, 441
- phytochemicals
 - content of, in pumpkin oil obtained by enzymatic extraction and cold pressing, 413
- pigments
 - influence of LED light on, in apple, tomato and bell pepper fruit after 7 days of storage, 228
- Plackett-Burman design
 - evaluation of the effect of medium components and initial pH on carotenoid production by, using raw glycerol and parboiled rice effluent as a substrate, 489
- Plectranthus amboinicus* (Indian borage)
 - application of leaf extracts of, against spoilage bacteria and natural microflora in food systems and chicken meat, 90
- PLS (partial least squares) models
 - to distinguish and validate total phenolic content and antioxidant activity of berry fruits measured by near-infrared (NIR) spectroscopy, 236
- polarography
 - determination of antioxidant activity of chocolate with different cocoa content during storage by, 13
- pollen analysis
 - used for identification of botanical origin of bee bread samples, 497
- polyphenols
 - content of, in *Eucalyptus camaldulensis* and *Litsea glaucescens* herbal infusions and fermented beverages, 367
 - content and antioxidant capacity of, in fruit and vegetable extracts obtained by chemical and modified *in vitro* digestive enzymatic extractions, 462
- precursor
 - addition of, for the production of volatile compounds responsible for apple aroma, 375
- prediction models
 - for thawing time of frozen foods, 3
- prevalence
 - determination of, of thermotolerant *Campylobacter* species in chicken meat in Croatia, 475
- probiotic
 - production of functional bread enriched with encapsulated *Lactobacillus acidophilus* and *Lactobacillus casei* as a, 52
- protective properties
 - of *Lactobacillus reuteri* from spontaneous sourdough against microbial spoilage of bread, 342
- protein aggregation
 - occurrence of, in heated meat and processed meat products, 482
- protein oxidation
 - prevention of, by *Silybum marianum* (milk thistle) seed ethanol extract, 455

- protein recovery
determination of, in hydrolysates of Atlantic salmon (*Salmo salar*) by-products obtained by different endopeptidases, 421
- proteins
identification of fish, for detection of multiple species based on a comparative proteomic approach, 266
- proteolysis
of camel *biceps femoris* and *longissimus thoracis* muscles during refrigerated storage, 324
- proteomics
tools used for the analysis of myofibrillar protein changes in *biceps femoris* and *longissimus thoracis* of Iranian one-humped camel during refrigeration storage, 324
- proximate composition
of different monofloral bee bread samples, 497
- pumpkin oil
optimization of the recovery of, by using aqueous enzymatic extraction, 403
- pumpkin seed oil
antioxidant activity of three types of, or oil mixtures, determined by DPPH[•] disappearance kinetics, 200
- pyruvic acid
production of, during fermentation of low-acidity grape must sequentially inoculated with *Saccharomyces cerevisiae* and *Lachancea thermotolerans*, 135

Q

- quinone reductase induction
in murine hepatoma cells as a marker for chemopreventive property of different black glutinous rice bran cultivars, 282

R

- radical scavenging activity
of the *Silybum marianum* (milk thistle) seed ethanol extract, 455
- RAPD
analysis of genetic diversity of common bean rhizobia isolated from different field sites in central Croatia, 468
- rapeseed oil
effect of the content of, on the physical properties of whey protein-based edible films, 78
- recovery optimization
of pumpkin oil, by enzymatic extraction, 413
- resveratrol
antioxidant effect of, during frying in peanut oil, 21
- Rhizobium leguminosarum*
determination of genetic diversity of common, isolated from different field sites in central Croatia, 468
- 16S rRNA probe
for identification of acetic acid bacteria during submerged industrial vinegar production, 108

- rosmarinic acid
in vitro gastrointestinal stability of, in aqueous extracts of thyme, winter savory and lemon balm, 97
- rye bread
effect of decreased sodium chloride mass fraction and different dough preparation techniques on the quality of, 172

S

- Saccharomyces cerevisiae*
as biological test system for determination of protective, inductive and oxidative properties of prenylflavonoid xanthohumol from hop plant (*Humulus lupulus* L.), 60
quality and composition of Airén wine produced by fermentation of low-acidity grape must sequentially inoculated with, and *Lachancea thermotolerans*, 135
- screen-printed carbon electrodes
immobilization of ascorbate oxidase on, for L-ascorbic acid determination in beverages, 31
- SDS-PAGE
determination of the protective effect of *Silybum marianum* (milk thistle) seed ethanol extract on protein damage by, 455
- sensory evaluation
of bread supplemented with *Antrodia salmonea*-fermented grains, 180
- sheep's milk
used for traditional production of cheese in lamb-skin sacks, 129
- shrimp-like flavour
production of seasoning with, by treatment of isada krill under subcritical water conditions, 335
- Silybum marianum* (milk thistle) seeds
antioxidant activity and protective effect against DNA oxidation, protein damage and lipid peroxidation of ethanol extract of, 455
- sodium chloride mass fraction
influence of decreased, on the quality of wheat and rye bread, 172
- sour cherry juice
optimization of the spray drying of, by response surface methodology, 441
- spectrophotometry
used for determination of total phenolics and total anthocyanins in fruit wines, 145
- spontaneous sourdough
retardation of microbial spoilage of bread by *Lactobacillus reuteri* from, 342
- spray drying
of sour cherry Marasca juice, with different carriers and at different temperatures, optimized by response surface methodology, 441
- stability
of rosmarinic acid during *in vitro* digestion in aqueous extracts of thyme, winter savory and lemon balm, 97
- statistical analysis
determination of the variation of volatile compound composition in Maotai-flavoured liquor during multiple fermentations using, 243

structure identification
of black-bone silky fowl iron(II)-oligopeptide
chelate, 164

subcritical water
conditions used for characterization, sensory
evaluation and astaxanthin stability of isada krill,
335

sulfur dioxide
effect of, on oxygen consumption rate of postfer-
mentation yeast lees, 395

symbiotic efficiency
of common bean rhizobia (*Rhizobium leguminosarum*)
isolated from different field sites in central Croatia,
468

T

texture
influence of morphological traits on, of carob pods,
432

thawing time
determination and prediction models of, of frozen
food, 3

thermal denaturation
positive effect of, on the evaluation of the influence
of microwave irradiation on the acceleration of
enzymatic cleavage and enzymatic digestion of
proteins in cooked meat, 482

thermotolerant *Campylobacter*
determination of prevalence of, in chicken meat in
Croatia, 475

tocopherols
involvement of α , β , and δ isomers of, in the DPPH
disappearance kinetics in pumpkin seed oil or oil
mixtures, 200
influence of LED light on, in apple, tomato and bell
pepper fruit after 7 days of storage, 228

total phenolic content
effect of drying conditions on, in *Echium amoenum*
Fisch. & C.A. Mey. petals, 217
of berry fruits, measured by near-infrared (NIR)
spectroscopy, 236

V

vinegar
identification of acetic acid bacteria involved in the
submerged industrial production, by 16S rRNA *in*
situ hybridization and flow cytometry, 108

vitreousness
of wheat (*Triticum aestivum* L.) grain endosperm, as
a result of higher protein content, 103

volatile compounds
determination of the variation of, in Maotai-fla-
voured liquor during multiple fermentations, using
statistical approach, 243

addition of biosynthetic precursors of, to enhance
apple aroma production, 375

volatiles
composition of, in the beer produced by *Williopsis*
saturnus var. *mrakii* NCYC 500 and *Saccharomyces*
cerevisiae Safale US-05, 403

W

water vapour sorption
of whey protein-based edible films with different
rapeseed oil content, 78

wheat bread
effect of decreased sodium chloride mass fraction
and different dough preparation techniques on the
quality of, 172

whey protein
effect of rapeseed oil content on the physical
properties of edible films based on, 78

Williopsis sp.
determination of fermentation products formed by,
during beer production, 403

wine
investigation of oxygen consumption capacity of
yeast lees obtained after fermentation with dry yeast
strains in model, white, and red, 395

X

xanthohumol
genotoxic and antigenotoxic effects of, from hop
plant (*Humulus lupulus* L.), 60

Xanthophyllomonas dendrorhous
production of carotenoids by, in medium containing
raw glycerol and parboiled rice effluent, 489

xylanase
use of, for the preparation of Lithuanian traditional
beverage with improved functional properties, 36

Y

yeast
Saccharomyces cerevisiae, as model organism with
multiple antibiotic resistance plasmids, 257
determination of chemical composition and protein
characteristics of lupin seeds fermented by dry, 360
production of fruity beer by novel, *Williopsis*
saturnus var. *mrakii* NCYC 500, compared with beer
fermented by *Saccharomyces cerevisiae* Safale US-05,
403

yeast lees
oxygen consumption by, in model, white and red
wine, 395

yeast viability
as a parameter of genotoxic and antigenotoxic
effects of prenylflavonoid xanthohumol from hop
plant (*Humulus lupulus* L.), 60